

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	((("6282454") or ("6061603") or ("5805442")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:26
S2	0	709/206,228,229	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:24
S3	9951	(709/206,228,229).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:25
S4	0	convert\$4 same protocol same (many or multiple) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:28
S5	15	convert\$4 same protocol and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:27
S6	2713	convert\$4 same protocol same (many or multiple) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:29
S7	208	(convert\$4 same protocol same (many or multiple)).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:36
S8	0	(convert\$4 same protocol same (many or multiple)).ab,ti. and web\$browser and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:30

S9	6	(convert\$4 same protocol same (many or multiple)) and web \$browser and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:30
S10	12	(convert\$4 same protocol same (many or multiple)).ab,ti. and (binary) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:41
S11	4	(convert\$4 same (HTTP) same protocol same (many or multiple)).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:41
S12	4	(convert\$4 same (HTTP) same protocol same (many or multiple)).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:42
S13	98	(convert\$4 same (HTTP) same protocol).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:52
S14	5	S13 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:47
S15	2	(convert\$4 same (HTTP) same protocol same binary).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:49
S16	44	(convert\$4 same (HTTP) same protocol same binary) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:50
S17	7	(convert\$4 same (HTTP) same protocol same binary adj2 data) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:52

S18	193	(convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:53
S19	8	(convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 09:53
S20	927	(convert\$4 same (HTTP) same protocol) and web same server and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:52
S21	347	(convert\$4 same (HTTP) same protocol) same web same server and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:52
S22	199	(convert\$4 same (HTTP) same protocol) same web near server and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:59
S23	7	(convert\$4 same (HTTP) same protocol) same web near server same automati\$5 and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:53
S24	21	((convert\$4 same (HTTP) same protocol) same web near server).ab,ti. and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 07:59
S25	274	(significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:38
S26	0	(significance or urgency) near3 data with value same (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:38

S27	3	(significance or urgency) near3 data with value and (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:39
S28	37	((significance or urgency) near3 data with value).ab,ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:41
S29	87	determin\$4 same (significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:42
S30	79	S29 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:41
S31	21	determin\$4 same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:52
S32	9	(transmit\$4 or send\$4) same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:52
S33	1	(assign\$4) near2 (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:46
S34	9	(assign\$4) with(significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:48
S35	61	(assign\$4) with(significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:49

S36	52	S35 not S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:48
S37	0	(assign\$4) with(significance or urgency) near data and (multipe or many or several) with protocol and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:49
S38	367	determin\$4 same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:52
S39	216	(transmit\$4 or send\$4) same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:55
S40	95	(transmit\$4 or send\$4) with (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:53
S41	2	("0000709").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:53
S42	60772	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:53
S43	8	S42 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 14:53
S44	2	(transmit\$4 or send\$4) same (significance or urgency) near data same (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 14:56

S45	7	(transmit\$4 or send\$4) same (significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 14:59
S46	13	(significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 14:59
S47	6	S46 not S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 14:59
S48	4	((("6785730") or ("20010025322")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 15:32
S49	26151	(send\$4 or transmit\$4) with binary and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 08:29
S50	20	(send\$4 or transmit\$4) with binary with markup and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 08:29
S51	1449	communicat\$4 with binary with transmission and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 09:56
S52	0	communicat\$4 with binary with transmission same "quality data" and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 09:57
S53	39	communicat\$4 with binary with transmission same quality and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 09:57

S54	86	convert\$4 with data same (binary and markup) and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:08
S55	29	convert\$4 with data with (binary and markup) and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:08
S56	7687	(send\$4 or transmit\$4) same convert\$4 with binary and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:17
S57	3824	(send\$4 or transmit\$4) with convert\$4 with binary and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:17
S58	11	(send\$4 or transmit\$4) with convert\$4 with binary with quality and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:17
S59	665	"binary data transmission" and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:37
S60	317	("binary data transmission").ab, ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:38
S61	0	("binary data transmission" with markup).ab,ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:38
S62	0	("binary data transmission" same markup).ab,ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:39

S63	1	("binary data transmission" same bidirectional).ab,ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:39
S64	0	("binary data transmission").ab, ti. and "bidirectional HTTP" and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:40
S65	1	("binary data transmission" same protocol).ab,ti. and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 10:41
S66	0	(send\$4 or transmit\$4) with ("bidirectional HTTP") and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:00
S67	1	("bidirectional HTTP") and (@ad<="20030409" or @rlad<="20030409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:00

7/ 8/ 2008 5:05:42 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
 \10822224_10822227_convert_different_protocol.wsp